# Overview of stone tools with recommendation

## Stone



| Quality | ★★★★★ | ★★★★☆ | ★★★★☆ | ★★★★★ | ★★★★☆ | ★★★★★ | ★★★★☆ | ★★★★★ | ★★★★☆ | ★★★☆☆ | ★★★★★ | ★★★★★ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Product** | MULTI-STAR | Multi Material Drill Bits | Multi Material Drill Bits | Glass drill bit | CRYSTAL | Roof Tile Drill Bit | ALLRO | Chisels | Chisels | ECO Chisels | Floor Scrapers | Ground rod driver |
| **Shank** | Hex | Straight | SDS-plus Stop | Hex | Straight | Hex | Straight | SDS-plus SDS-max | Various | SDS-plus SDS-max | SDS-plus SDS-max | SDS-max |
| **Ø mm** | 4 - 10 | 3 - 12 | 4 - 12 | 3 - 10 | 3 - 12 | 4 - 6 | 5 - 12 | – | – | – | – | 13 - 16.5 |
| **Series** | 570006 | 57600 | 57700 | 59200 | 59000 | 53300 | 58000 | 840004 | 84000 | 840002 | 84900 | 84900 |
| **Art.-Group** | 89 | 89 | 89 | 51 | 51 | 59 | 51 | 72 | 42, 49, 73 | 74 | 42, 73 | 72 |
| **Page** | 59 | 60 | 61 | 62 | 63 | 64 | 64 | 68 | 70 | 73 | 78 | 78 |
| Reinforced concrete | | | | | | | | ++ | ++ | + | | |
| Concrete | | | | | | | | +++ | ++ | ++ | | |
| Masonry | +++ | +++ | +++ | | | + | ++ | +++ | ++ | ++ | | |
| Natural stone | + | + | + | | | | ++ | ++ | + | + | | |
| Hollow bricks | +++ | ++ | ++ | | | +++ | ++ | +++ | +++ | +++ | | |
| Roofing tiles | ++ | + | + | + | + | +++ | ++ | | | | | |
| Aerated concrete | ++ | ++ | ++ | | | + | | | | | | |
| Ceramics, tiles | ++ | ++ | ++ | ++ | + + | ++ | ++ | | | | | |
| Glass | + | + | + | +++ | +++ | | + | | | | | |
| Plastic | +++ | ++ | ++ | | | | ++ | | | | +++ | |
| Steel | ++ | + | + | | | | | | | | | |
| Wood | +++ | +++ | +++ | | | | + | | | | | |

**+++ recommended** **++ well-suited** **+ suitable**



GOLD ★★★★★ SILVER ★★★★☆ BRONZE ★★★☆☆

# CHISELS



# 840004 | Self-Sharpening Chisels SDS-plus





- Self-sharpening effect: Specially designed geometry ensures permanently sharp chisels and therefore have a longer lifetime
- Efficient working: Due to special technical characteristics, a significantly higher removal rate is achieved compared to standard chisels
- Long lifetime: High-quality and thoroughly hardened steel ensures a long service life

Single packaging with hanger

## Pointed chisel



- Special spiral tip ensures maximum material destruction
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | Item No. |
|---|---|---|---|
| Pointed chisel | SDS-plus | 250 | 84 106 250 4 |

## Flat chisel



- Two additional teeth ensure better material destruction
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Flat chisel | SDS-plus | 250 | 20 | 84 206 250 4 |

## Spade chisel



- Compared to standard chisels the blade is twice as long, this increases the lifetime up to 100%
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Spade chisel | SDS-plus | 250 | 40 | 84 406 250 4 |

## Tile chisel



- Cranked shape with extra long and slim blade increases the material removing up to 30%
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Tile chisel | SDS-plus | 260 | 40 | 84 806 260 4 |

## Scraping chisel




- Extra wide blade perfect for removing plaster and grout
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Scraping chisel | SDS-plus | 250 | 60 | 84 806 250 4 |

# 840004 | Self-Sharpening Chisel SDS-max




Art.-Group **72**



- Self-sharpening effect: Specially designed geometry ensures permanently sharp chisels and therefore have a longer lifetime
- Efficient working: Due to special technical characteristics, a significantly higher removal rate is achieved compared to standard chisels

- Long lifetime: High-quality and thoroughly hardened steel ensures a long service life



Single packaging with hanger



## Pointed chisel

- Special spiral tip ensures maximum material destruction
- Reflective element reduces recoil energy - this protects man and machine and makes work more pleasant
- With self-sharpening effect




★★★★★

| Chisel Type | Shank | L mm | Item No. |
|---|---|---|---|
| Pointed chisel | SDS-max | 400 | 84 170 400 4 |



## Flat chisel

- Additional cutting edges ensure maximum material destruction
- Reflective element reduces recoil energy - this protects man and machine and makes work more pleasant
- With self-sharpening effect



★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Flat chisel | SDS-max | 400 | 25 | 84 270 400 4 |



## Spade chisel

- Compared to standard chisels the blade is twice as long, this increases the liefetime up to 100%
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Spade chisel | SDS-max | 350 | 50 | 84 470 350 4 |




## Tile chisel

- Cranked shape with extra long and slime blade increases the material removing up to 30%
- With self-sharpening effect

★★★★★

| Chisel Type | Shank | L mm | W mm | Item No. |
|---|---|---|---|---|
| Tile chisel | SDS-max | 300 | 50 | 84 870 300 4 |


# 84000 | Chisels SDS-plus




Art.-Group **42**



Single packaging with hanger



Chisel bulk pack





## Pointed chisel

- For general chiselling and breaking work

★★★★☆

| Chisel Type | L mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|
| Pointed chisel | 250 | Single | 1 | 84 106 250 |
| Pointed chisel | 250 | Single packaging with hanger | 1 | 84 106 250 5 |
| Pointed chisel | 250 | Chisel bulk pack | 10 | 99 965 |
| Pointed chisel short | 140 | Single | 1 | 84 106 140* |
| Pointed chisel short | 140 | Single packaging with hanger | 1 | 84 106 140 5 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Flat chisel | 250 | 20 | Single | 1 | 84 206 250 |
| Flat chisel | 250 | 20 | Single packaging with hanger | 1 | 84 206 250 5 |
| Flat chisel | 250 | 20 | Chisel bulk pack | 10 | 99 966 |
| Flat chisel short | 140 | 20 | Single | 1 | 84 206 140* |
| Flat chisel short | 140 | 20 | Single packaging with hanger | 1 | 84 206 140 5 |



## Spade chisel

- For universal applications like chiseling of floor covering (screed and tar paper)
- For removing material on a larger scale

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Spade chisel | 250 | 40 | Single | 1 | 84 406 250 |
| Spade chisel | 250 | 40 | Single packaging with hanger | 1 | 84 406 250 5 |
| Spade chisel | 250 | 40 | Chisel bulk pack | 5 | 99 967 |
| Short chisel short | 140 | 40 | Single | 1 | 84 406 140* |
| Short chisel short | 140 | 40 | Single packaging with hanger | 1 | 84 406 140 5 |



## Tile chisel

- Ergonomically angled chisel end
- For the easy removal of tiles

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Tile chisel | 250 | 40 | Single | 1 | 84 806 250 |
| Tile chisel | 250 | 40 | Single packaging with hanger | 1 | 84 806 250 5 |



## Hollow chisel

- For putting channels in masonry (e.g. in concrete, brick and sand-lime brick)

★★★★☆


| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Hollow chisel | 250 | 22 | Single | 1 | 84 506 250* |
| Hollow chisel | 250 | 22 | Single packaging with hanger | 1 | 84 506 250 5 |



GOLD ★★★★★ SILVER ★★★★☆ BRONZE ★★★☆☆

*Only as long as stocks last

# 84000 | Chisels SDS-max





Art.-Group **73**





Single packaging with hanger



Chisel bulk pack



## Pointed chisel

- For general chiselling and breaking work

★★★★☆

| Chisel Type | L mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|
| Pointed chisel | 280 | Single | 1 | 84 170 280 |
| Pointed chisel | 280 | Single packaging with hanger | 1 | 84 170 280 5 |
| Pointed chisel | 400 | Single | 1 | 84 170 400 |
| Pointed chisel | 400 | Single packaging with hanger | 1 | 84 170 400 5 |
| Pointed chisel | 400 | Chisel bulk pack | 20 | 99 962 |
| Pointed chisel | 600 | Single | 1 | 84 170 600 |
| Pointed chisel | 600 | Single packaging with hanger | 1 | 84 170 600 5 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Flat chisel | 280 | 25 | Single | 1 | 84 270 280 |
| Flat chisel | 280 | 25 | Single packaging with hanger | 1 | 84 270 280 5 |
| Flat chisel | 400 | 25 | Single | 1 | 84 270 400 |
| Flat chisel | 400 | 25 | Single packaging with hanger | 1 | 84 270 400 5 |
| Flat chisel | 400 | 25 | Chisel bulk pack | 20 | 99 963 |
| Flat chisel | 600 | 25 | Single | 1 | 84 270 600 |
| Flat chisel | 600 | 25 | Single packaging with hanger | 1 | 84 270 600 5 |



## Spade chisel

- For universal applications like chiseling of floor covering (screed and tar paper)
- For removing material on a larger scale

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Spade chisel | 300 | 80 | Single | 1 | 84 470 800 |
| Spade chisel | 300 | 80 | Single packaging with hanger | 1 | 84 470 800 5 |
| Spade chisel | 350 | 115 | Single | 1 | 84 470 115 |
| Spade chisel | 350 | 115 | Single packaging with hanger | 1 | 84 470 115 5 |
| Spade chisel | 400 | 50 | Single | 1 | 84 470 500 |
| Spade chisel | 400 | 50 | Single packaging with hanger | 1 | 84 470 500 5 |
| Spade chisel | 400 | 50 | Chisel bulk pack | 10 | 99 964 |



## Tile chisel

- Ergonomically angled chisel end
- For the easy removal of tiles

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Tile chisel | 300 | 50 | Single | | 84 870 400 |
| Tile chisel | 300 | 50 | Single packaging with hanger | | 84 870 400 5 |

# 84000 | Chisels SDS-max





Single packaging with hanger



## Hollow chisel

- For putting channels in masonry (e.g. in concrete, brick and sand-lime brick)

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Hollow chisel | 300 | 26 | Single | 1 | 84 570 300* |
| Hollow chisel | 300 | 26 | Single packaging with hanger | 1 | 84 570 300 5 |



## Channel chisel

- For chiseling narrow channels in concrete

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Channel chisel | 300 | 32 | Single | 1 | 84 370 320* |
| Channel chisel | 300 | 32 | Single packaging with hanger | 1 | 84 370 320 5 |



## Slotting chisel

- For renovating masonry (e.g. removing tile joints)

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Slotting chisel | 280 | 38 | Single | 1 | 84 670 300* |
| Slotting chisel | 280 | 38 | Single packaging with hanger | 1 | 84 670 300 5 |



## Mortar chisel

- For removing and cleaning joints in masonry and mortar

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Mortar chisel | 300 | 28 | Single | 1 | 84 770 300* |
| Mortar chisel | 300 | 28 | Single packaging with hanger | 1 | 84 770 300 5 |



GOLD ★★★★★ SILVER ★★★★☆ BRONZE ★★★☆☆

*Only as long as stocks last

# 840002 | Chisels SDS-plus ECO




Art.-Group **74**





Single packaging with hanger



Chisel bulk pack

## Pointed chisel



- For general chiselling and breaking work
- e.g. for laying cables

★★★☆☆

| Chisel Type | L mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|
| Pointed chisel | 250 | Single packaging with hanger | **1** | 84 106 250 2 |
| Pointed chisel | 250 | 10 pcs. in cardboard box | **10** | 84 106 250 210 |

## Flat chisel



- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Flat chisel | 250 | 20 | Single packaging with hanger | 1 | 84 206 250 2 |
| Flat chisel | 250 | 20 | 10 pcs. in cardboard box | 10 | 84 206 250 210 |

## Spade chisel




- For universal applications like chiseling of floor covering (screed and tar paper)

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Spade chisel | 250 | 40 | Single packaging with hanger | 1 | 84 406 250 2 |
| Spade chisel | 250 | 40 | 10 pcs. in cardboard box | 10 | 84 406 250 210 |

## Tile chisel self-sharpening ECO



- Angled shape with long blade
- With self-sharpening effect

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Tile chisel | 260 | 40 | Single packaging with hanger | 1 | 84 806 260 2 |

# Sets

Art.-Group **47**

★★★☆☆

| Content | Pieces | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel length 250 mm<br>Flat chisel 250 mm x 20 mm<br>Spade chisel 250 mm x 40 mm | 3 | Plastic box | 99 956 |
| Rotary hammer drill bits SDS-plus<br>Ø 5 - 6 - 8 - 10 x 110/50 mm<br>Ø 6 - 8 - 10 - 12 x 160/100 mm, Ø 8 - 10 x 210/150 mm<br>Pointed chisel SDS-plus<br>length 250 mm<br>length 140 mm<br>Flat chisel SDS-plus 140 x 20 mm<br>250 mm x 20 mm<br>140 mm x 20 mm<br>Spade chisel SDS-plus<br>250 mm x 40 mm | 17 | Metal case | 99 982 |




99 956



99 982


# 840002 | Chisels SDS-max ECO



Art.-Group **74**



Single packaging with hanger



Chisel bulk pack



## Pointed chisel



- For general chiselling and breaking work
- e.g. for laying cables

★★★☆☆

| Chisel Type | L mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|
| Pointed chisel | 400 | Single packaging with hanger | **1** | 84 170 400 2 |
| Pointed chisel | 400 | 10 pcs. in cardboard box | **10** | 84 170 400 210 |

## Flat chisel



- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Flat chisel | 400 | 25 | Single packaging with hanger | **1** | 84 270 400 2 |
| Flat chisel | 400 | 25 | 10 pcs. in cardboard box | **10** | 84 270 400 210 |

## Spade chisel



- For universal applications like chiseling of floor covering (screed and tar paper)

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Spade chisel | 400 | 50 | Single packaging with hanger | **1** | 84 470 400 2 |
| Spade chisel | 400 | 50 | 10 pcs. in cardboard box | **10** | 84 470 400 210 |

## Spade Chisel Self-Sharpening ECO



- For universal applications like chiseling of floor covering (screed and tar paper)
- With self-sharpening effect

★★★☆☆

| Chisel Type | L mm | W mm | Packaging | Pc./PU | Item No. |
|---|---|---|---|---|---|
| Spade chisel | 350 | 50 | Single packaging with hanger | 1 | 84 770 350 2 |

# Sets

Art.-Group **47**





★★★☆☆

| Content | Pieces | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel length 400 mm<br>Flat chisel 400 mm x 25 mm<br>Spade chisel 400 mm x 50 mm | 3 | Plastic box | 844 002 |

# 84000 | Chisels With 19 mm Hexagonal Shank / Bosch Large Splined Shaft



Art.-Group **49**








## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 400 | Single | 84 101 400 |
| Pointed chisel | 600 | Single | 84 101 600* |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 400 | 25 | Single | 84 201 400 |




## Spade chisel

- For universal applications like chiseling of floor covering (screed and tar paper)


★★★★☆


| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Spade chisel | 400 | 50 | Single | 84 401 500 |
| Spade chisel | 300 | 75 | Single | 84 401 800 |

# 84000 | Chisels With 19 mm Hexagonal Shank / Bosch



Art.-Group **49**





## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 400 | Single | 84 102 400 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 400 | 25 | Single | 84 202 400 |
| Flat chisel | 600 | 25 | Single | 84 202 600* |



## Spade chisel

- For universal applications like chiseling of floor covering (screed and tar paper)

★★★★☆


| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Spade chisel | 450 | 50 | Single | 84 402 500 |

*Only as long as stocks last

GOLD ★★★★★ SILVER ★★★★☆ BRONZE ★★★☆☆

# 84000 | Chisels With 21 mm Hexagonal Shank / Kango






Art.-Group **49**





## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 380 | Single | 84 190 380 |
| Pointed chisel | 460 | Single | 84 190 460* |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 450 | 30 | Single | 84 290 460 |



## Spade chisel


- For universal applications like chiseling of floor covering (screed and tar paper)

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Spade chisel | 380 | 50 | Single | 84 490 500 |
| Spade chisel | 380 | 75 | Single | 84 490 800* |

# 84000 | Chisels With 22 mm Hexagonal Shank / 6 Slots Hilti






Art.-Group **49**





## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 360 | Single | 84 181 360 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 360 | 30 | Single | 84 281 360 |




GOLD ★★★★★ SILVER ★★★★☆ BRONZE ★★★☆☆

*Only as long as stocks last


# 84000 | Chisels With 29 mm Hexagonal Shank / Bosch






Art.-Group **49**





## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 400 | Single | 84 108 400 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 400 | 36 | Single | 84 208 400 |



## Spade chisel


- For universal applications like chiseling of floor covering (screed and tar paper)

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Spade chisel | 400 | 80 | Single | 84 408 800 |
| Spade chisel | 500 | 125 | Single | 84 408 125 |

# 84000 | Chisels With 30 mm Hexagonal Shank / Makita






Art.-Group **49**





## Pointed chisel

- For general chiselling and breaking work
- e.g. for laying cables

★★★★☆

| Chisel Type | L mm | Packaging | Item No. |
|---|---|---|---|
| Pointed chisel | 410 | Single | 84 110 400 |



## Flat chisel

- For general chiselling and breaking work
- Targeted crushing effect on masonry, concrete and loose rock
- Chisel cutting edge is perpendicular to the recess on the hexagonal shank

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Flat chisel | 410 | 35 | Single | 84 210 400 |



## Spade chisel

- For universal applications like chiseling of floor covering (screed and tar paper)
- Chisel cutting edge is perpendicular to the recess on the hex shank

★★★★☆

| Chisel Type | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Spade chisel | 400 | 75 | Single | 84 421 075 |
| Spade chisel | 450 | 125 | Single | 84 410 100 |

# 84900 | Floor Cleaning Tool SDS-plus

Art.-Group **42**



- Ideal for removing adhesive residues e.g. carpet or cork flooring on screeded concrete
- Wide cutting edge ensures a high material removal rate
- Excellent for removing wall tiles
- With replaceable cutting plate

★★★★★

| Description | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Floor cleaning tool | 290 | 130 | Single packaging with hanger | 84 906 250 |
| Replacement plate | 90 | 130 | Single packaging with hanger | 84 906 001 |
| Spare screw set | | | In pouch | 84 906 003 |

# 84900 | Floor Cleaning Tool SDS-max Shank

Art.-Group **73**



- Ideal for removing adhesive residues e.g. carpet or cork flooring on screeded concrete
- Wide cutting edge ensures a high material removal rate
- With replaceable cutting plate

★★★★★

| Description | L mm | W mm | Packaging | Item No. |
|---|---|---|---|---|
| Floor cleaning tool | 635 | 152 | Single | 84 970 630 |
| Replacement plate | 175 | 152 | Single | 84 970 001 |
| Spare screw set | | | In pouch | 84 970 003 |

# 84900 | Ground Rod Driver SDS-max

Art.-Group **72**



- Perfect for driving in grounding rods and injection lances
- Made of high-quality tempered steel [34CrNiMo6]



Single packaging with hanger

★★★★★

| Ø mm | L mm | Item No. |
|---|---|---|
| 13.0 mm inner diameter | 260 | 84 980 130 |
| 16.5 mm inner diameter | 260 | 84 980 165 |